FIG. 1




FIG. 2

AMG	ATS			ATS			•	
	(Men							
ATSI	ACB	S		ACB	S			ATSI
Title			Title				-1	
Α	CB			A(CB			
Track	Trac	ck		Tra	ack			
(PTT)	(P	TT)			(PT	Γ)		
Index		Inde	X					
CELL		Cl	ELL				<u> </u>	
ACBU	ACBU	ACBL	J	AC	BU	AC	BU	
	0.5 SECOI	VD						
A-CONT A1	A1 A2	V	A1	A 1	A2	A1	V	

FIG. 3

AMG (AUDIO MANAGER)

AMG:	I (AUDIO MANAGER) INFORMATION
AMG	M—ACBS (AMG MENU / AUDIO (CONTENTS BLOCK SET)
	PCI (PRESENTATION) CONTROL INFORMATION
	DSI (DATA SEARCH)
	BACKUP AMGI

FIG. 4

ATS (AUDIO TITLE SET)

ATS I (AUDIO TITLE SET)	
ATSM—ACBS (ATS MENU / AUDIO CONTENTS BLOCK SET))
PCI	
DSI	
ATSA—ACBS (ATS ALBUM—ACBC)	
PCI	
DSI	
BACKUP ATSI	

AMGI (AUDIO MANAGER)

AMGI — MAT (AMGI MANAGEMENT TABLE) T-SRPT (TITLE SEARCH POINTER TABLE) AMGM-PGCI-UT(AUDIO MANAGER MENU)
PGCI UNIT TABLE PTL-MAIT (PARENTAL MANAGEMENT) INFORMATION TABLE ATS-ATRT (AUDIO TITLE SET ATTRIBUTE TABLE) TXTDT-MG (TEXT DATA MANAGER) AMGM-C-ADT(AMGM CELL ADDRESS TABLE) AMGM — ACBU — ADMAP (AMGM—ACBU—)
(ADDRESS MAP

ATS-ATRT (AUDIO TITLE SET ATTRIBUTE TABLE)




FIG. 7

ATS-ATR (ATS ATTRIBUTE)

ATS-ATR-EA (END ADDRESS)	4 BYTES
ATS—CAT (CATEGORY)	4 BYTES
ATS—ATR I (ATS—ATR INFORMATION)	768 BYTES

ATSI (AUDIO TITLE SET)

```
ATSI - MAT
   (ATSI MANAGEMENT TABLE)
ATS-PTT-SRPT
      (ATS PART OF TITLE
      SEARCH POINTER TABLE
ATS-PGCIT
      ATS PROGRAM CHAIN
      INFORMATION TABLE
ATSM-PGCI-UT
      (ATS MENU PROGRAM)
      CHAIN UNIT TABLE
ATS-TMAPT
     (ATS TIME MAP TABLE)
ATSM-C-ADT
      (ATS MENU CELL)
      ADDRESS TABLE
ATSM-ACBU-ADMAP
      (ATS MENU ACBU)
      ADDRESS MAP
ATS-C-ADT
     (ATS CELL ADDRESS TABLE)
ATS-ACBU-ADMAP
    (ATS-ACBU-ADDRESS MAP)
```

ATSI — MAT (ATSI MANAGEMENT TABLE)

ATS —ID (IDENTIFIER)
ATS—EA (END ADDRESS)
ATSI —EA
VERN (VERSION NUMBER)
ATS—CAT (CATEGORY)
ATSI — MAT — EA
ATSM-ACBS-SA (START ADDRESS)
ATSA—ACBS—SA
ATS-PTT-SRPT-SA
ATS-PGCIT-SA
ATSM-PGCI-UT-SA
ATS-TMAPT-SA
ATSM-C-ADT-SA
ATSM—ACBU—ADMAP—SA

ATSM—AST—ATR (ATSM AUDIO STREAM) ATTRIBUTE

ATS—AST—Ns
(ATS AUDIO STREAM NUMBER)

ATS—AST—ATRT (ATS AUDIO STREAM) ATTRIBUTE TABLE

ATSM-AST-ATR (AUDIO TITLE SET MENU AUDIO)

b63	b62	b61	b60	b59	b58	b57	b56
AUDIO MODE	ENCOD	ING					
b55	b54 ,	b53	b52	b51	b50	, b49 ,	b48
QUANTIZ DRC	ATION /	f	S		AUD NUM	O CHAN BER	NEL
b47		<u> </u>	l	L	1	J	b40
b39	L	1		<u> </u>	1	1	b32
b31	L		<u></u>	L	1	1	b24
b23	,		1	_1	_1	_1	b16
b15					1		b8
	<u> </u>						
b7							, b0
07					1		

F/G. 11 ATS-AST-ATRT

AUDIO STREAM	(AST) #0	ATS-AST-ATR	8 BYTES
AUDIO STREAM	(AST) #1	ATS-AST-ATR	8 BYTES
AUDIO STREAM	(AST) #2	ATS-AST-ATR	8 BYTES
AUDIO STREAM	(AST) #3	ATS-AST-ATR	8 BYTES
AUDIO STREAM	(AST) #4	ATS-AST-ATR	8 BYTES
AUDIO STREAM	(AST) #5	ATS-AST-ATR	8 BYTES
AUDIO STREAM	(AST) #6	ATS-AST-ATR	8 BYTES
AUDIO STREAM	(AST) #7	ATS-AST-ATR	8 BYTES

${\tt ATS-AST-ATR}~\left(\begin{matrix} {\tt AUDIO} & {\tt TITLE} & {\tt SET} & {\tt AUDIO} \\ {\tt STREAM} & {\tt ATTRIBUTE} & {\tt DATA} \end{matrix} \right)$

		(0=.				
b63 , b62 ,	b61	b60	b59	b58	b57	b56
AUDIO ENCOD	ING	ME	AUDIO	TYPE	AUDIO AP MODE	RICATION
						. 40
b55 b54	b53	b52	b51	b50	b49	b48
QUANTIZATION / DRC	f	s		NUM	IO CHAN IBER	INEL
b47 b46	b45	b44		ı		b40
AST THINNING	LFE	INING				
	<u>, </u>	,	,			b32
b39 ,				1		
b31 ,	1	_1	_1			b24
b23				1	1	b16
DEO ,						
						b8
b15 ,						, 50
b7 ,		1	1			, b0
L						




FIG. 14





FIG. 15

AUDIO CONTROL PACK (2048 BYTES)



ACD (636 BYTES)


GENERAL INFORMATION	48 BY	TES
NAME SPACE	93 BYTES	93 BYTES
FREE SPACE 1	93 BYTES	93 BYTES
FREE SPACE 2	93 BYTES	93 BYTES
DATA POINTER	15 BYTES	15 BYTES
TOTAL	294 BYTES	294 BYTES


FIRST SECOND LANGUAGE

FIG. 17

_{キョクモクカイセツ} 前作のエディング曲 " FORGET- ME- NOT"

ASD (1000 BYTES)






	2CH (STEREO)	6CH	8CH	Mbps	TIME (MIN)	ABOVE 80MIN
	48khz /16bit (1.536Mbps) 48khz /20bit (1.920Mbps) 48khz /24bit (2.304Mbps)			1.536 1.920 2.304	387 310 258	* * *
2ch	96khz /16bit (3.072Mbps) 96khz /20bit (3.804Mbps) 96khz /24bit (4.608Mbps)			3.072 3.804 4.608	194 156 129	* * *
	192khz /16bit (6.144Mbps) 192khz /20bit (7.680Mbps) 192khz /24bit (9.216Mbps)		·	6.144 7.680 9.216	97 78 65	*
	48khz /16bit (1.536Mbps)	48khz /16bit (4.608Mbps) 48khz /20bit (5.760Mbps) 48khz /24bit (6.912Mbps)		6.144 7.296 8.448	97 82 70	*
	48khz /20bit (1.920Mbps)	48khz /16bit (4.608Mbps) 48khz /20bit (5.760Mbps) 48khz /24bit (6.912Mbps)		6.528 7.680 8.832	91 78 67	*
2+6ch	48khz /24bit (2.304Mbps)	48khz /16bit (4.608Mbps) 48khz /20bit (5.760Mbps) 48khz /24bit (6.912Mbps)		6.912 8.064 9.216	86 74 65	*
	96khz /16bit (3.072Mbps)	48khz /16bit (4.608Mbps) 48khz /20bit (5.760Mbps)		7.680 8.832	78 67	
	96khz /20bit (3.840Mbps)	48khz /16bit (4.608Mbps) 48khz /20bit (5.760Mbps)		8.448 9.600	71 62	
	96khz /24bit (4.608Mbps)	48khz /16bit (4.608Mbps)		9.216	65	
2 . Och	48khz /16bit (1.536Mbps)		48khz /16bit (6.144Mbps) 48khz /20bit (7.680Mbps)	7.680 9.216	78 65	
2+8ch	48khz /20bit (1.920Mbps)		48khz /16bit (6.144Mbps) 48khz /20bit (7.680Mbps)	8.064 9.600	74 62	
6ch	·	48khz /16bit (4.608Mbps) 48khz /20bit (5.760Mbps) 48khz /24bit (6.912Mbps) 96khz /16bit (9.216Mbps)		4.608 5.760 6.912 5.216	129 103 86 65	*
8ch			48khz /16bit (6.144Mbps) 48khz /20bit (7.680Mbps) 48khz /24bit (9.216Mbps)	6.144 7.680 9.216	97 78 65	*


	2CH	FRONT 3CH	REAR 2CH, LFE 1CH	Mbps	TIME
2+6ch	48khz /16bit (1.536Mbps)		48khz /16bit (2.304Mbps)		
	"	96knz / 20bit (5.760Mbps)	48khz / 16bit (2.304Mbps)	9.6	62
	48khz /20bit (1.920Mbps)	96khz /16bit (4.608Mbps)	48khz /16bit (2.304Mbps)	8.832	67

FIG. 22

	2CH	FRONT 3CH	REAR 2CH	Mbps	TIME
2+5ch	48khz /16bit (1.536Mbps) 48khz /20bit (1.920Mbps) 48khz /20bit (1.920Mbps)	96khz /20bit (5.760Mbps) 96khz /20bit (5.760Mbps) 96khz /20bit (5.760Mbps)	48khz / 16bit (1.536Mbps)	9.216	67 65 62

FIG. 23





ACD (636 BYTES) FIG. 25 **GENERAL** 48 BYTES **INFORMATION** NAME 93 BYTES **SPACE** FREE 93 BYTES SPACE 1 FREE 93 BYTES SPACE 2 **DATA** 15 BYTES **POINTER** AUDIO REPRODUCTION 294 BYTES CONTROL INFORMATION

FIG. 26




FIG. 27

⋖		
A	+	+
A	Index= N+1	CELL=N+1
4	Inde	CEL
∢		
A RTI A		
Α		
4	Z	
A	ا = N	z
А		CELL=N
А	,,	
A		
۷		
Α		
Α		
А		
А		
A SPCT		
A		
⋖		EAD
⋖		CELL HEAD
A		핑 _
A		

FIG. 28




FIG. 29





FIG. 30



24 / 35

AOTT—AOB—ATR

b127	b126	b125	b124		b122	b121	b120
		AU	DIO ENG	CODING M	ODE		
b119	b118	b117	b116	<u>b115</u>	b114	b113	b112
<u></u>			<u></u>				
b111	b110	b109	b108	b107	b106	b105	b104
		Q1			Q	2	
b103	b102	b101	b100	b99	b98	b97	b96
		fs1			fs	2	
b95	b94	b93	b92	b91	b90	b89	b88
MULTICHAN	INEL STRUC	TURE TYPE		CHANNE	L ASSIGN	MENT	
b87	b86	b85	b84	b83	b82	b81	b80
b79	b78	b77	b76	b75	b74	b73	b72
		 -					
b71	b70	b69	b68	b67	b66	b65	b64
57,	570					500	
b63	b62	b61	b60	b59	b58	b57	b56
500	502	<u> </u>	500	500		501	
b55	b54	b53	b52	b51	b50	b49	b48
555	004		טטב	001	000	010	<u> </u>
b47	b46	b45	b44	b43	b42	b41	b40
047	040	043	044	D40	טייב	041	040
L	h00	h07	h2C	h2E	h24	h22	haa
b39	b38	b37	<u>b36</u>	<u>b35</u>	b34	b33	<u>b32</u>
		1.00	1.00	L 07	I- 00	LO 5	<u> </u>
<u>b31</u>	<u>b30</u>	<u>b29</u>	b28	b27	b26	b25	b24
<u></u>							
b23	b22	b21	b20_	b19	b18	b17	b16
L							
b15	<u>b14</u>	b13	b12	<u>b11</u>	<u>b10</u>	<u>b9</u>	b8
b7	<u>b6</u>	<u>b5</u>	b4	<u>b3</u>	b2	<u>b1</u>	<u>b0</u>
		· · · · · · · · · · · · · · · · · · ·					

FIG. 32

CHANNEL ASSIGNMENT INFORMATION	CHANNEL STRUCTURE OF CHANNEL CHANNE NUMBER NUMBER IN							
(BIT PATTERN)	ACH0	ACH1	ACH2	ACH3	ACH4	ACH5	GROUP 1	GROUP 2
00000b	C(mono)	none	none	none	none	none	1	0
00001b	L	R	none	none	none	none	2	0
00010b	Lf	Rf	S	none	none	none	2	1
00011b	Lf	Rf	Ls	Rs	none	none	2	2
00100b	Lf	Rf	LFE	none	none	none	2	11
00101b	Lf	Rf	LFE	S	none	none	2	2
00110b	Lf	Rf	LFE	.Ls	Rs	none	2	3
00111b	Lf	Rf	С	none	none	none	2	1
01000b	Lf	Rf	С	S	none	none	2	2
01001b	Lf	Rf	С	Ls	Rs	none	2	3
01010b	Lf	Rf	С	LFE	none	none	2	2
01011b	Lf	Rf	С	LFE	S	none	2	3
01100b	Lf	Rf	С	LFE	Ls	Rs	2	4
01101b	Lf	Rf	С	S	none	none	3	11
01110b	Lf	Rf	С	Ls	Rs	none	3	2
01111b	Lf	Rf	С	LFE	none	none	3	11
10000b	Lf	Rf	С	LFE	S	none	3	2
10001b	Lf	Rf	С	LFE	Ls	Rs	3	3
10010b	Lf	Rf	Ls	Rs	LFE	none	4	1
10011b	Lf	Rf	Ls	Rs	С	none	4	1
10100b	Lf	Rf	Ls	Rs	С	LFE	4	2
OTHERS	RESERVED							

CHANNEL GROUP 1 CHANNEL GROUP 2

FIG. 33

LINEAR PCM AUDIO PACK




FIG. 34

LINEAR PCM PRIVATE HEADER

FILED	BIT NUMBER	BYTE NUMBER		
SUB STREAM ID	8	1		
RESERVED	4			
ISRC NUMBER	4	2		
ISRC DATA	8			
PRIVATE HEADER LENGTH	8	1		
FIRST ACCESS UNIT POINTER	16	2		
AUDIO EMPHASIS FLAG	1			
RESERVED "	1	1		
RESERVED	2			
DOWN MIX CODE	4			
QUANTIZATION WORD LENGTH 1	4	1		
QUANTIZATION WORD LENGTH 2	4	,		
AUDIO SAMPLING FREQUENCY fs 1	4	1		
AUDIO SAMPLING FREQUENCY is 2	4			
RESERVED	4			
MULTICHANNEL TYPE	4	1		
RESERVED	3			
CHANNEL ASSIGNMENT	5	1		
DYNAMIC RANGE CONTROL	8	1		
STUFFING BYTE		0-7		

ADI {

28 / 35

AOTT-VOB-AST-ATR

AOIT-VOB-ASI-AIR								
b127	b126	b125	b124	b123	b122	b121	b120_	
		Al	JDIO ENC	CODING M	IODE			
b119	b118	b117	b116_	b115	b114	b113	b112	
				.=				
b111	b110	b109	b108	b107	b106	b105	b104	
		Q						
b103	b102	b101	b100	_b99	b98	b97	b96	
		fs						
b95	b94	b93	b92	b91	b90	b89	b88	
MULTICHAI	NNEL STRUC	TURE TYPE		CHANNE	L ASSIGI	VMENT		
b87	b86	b85	b84	b83	b82	b81	b80	
DECODING	AUDIO STRE	AM NUMBER						
b79	b78	b77	b76	b75	b74	b73	b72	
MPEG A	UDIO DRC		.,	COMPRES	SION AUDIO	CHANNEL	NUMBER	
b71	b70	b69	b68	b67	b66	b65	<u>b64</u>	
					<u> </u>			
<u>b63</u>	b62	b61	b60	b59	<u>b58</u>	b57	<u>b56</u>	
b55	b54	b53	b52	b51	<u>b50</u>	b49	<u>b48</u>	
b47	b46	b45	b44	b43	b42_	b41	b40	
L								
<u>b39</u>	b38	b37	b36	b35	<u>b34</u>	b33	b32	
b31	b30	b29	b28	b27	b26	b25	b24	
						·····		
b23	b22	b21	b20	b19	b18	b17	b16	
b15	b14	b13	b12	b11	b10	b9		
b7	b6	b5	b4	b3	b2	b1	b0	
						·		

FIG. 36





FIG. 37







FIG. 39






FIG. 41

